

**CERTIFICATE OF MAILING**

I hereby certify that this correspondence is being deposited with the United States Postal Service as First-Class Mail in an envelope addressed to:

\*Assistant Commissioner for Patents  
Washington, D.C. 20231\*

November 15, 2001

GERARD J. MCGOWAN, JR.  
Reg. No. 29,412  
Attorney for Applicant(s)

11/15/01  
Date of  
Signature

**PATENT**  
#Y2-0399-UNI  
Case #F7545(V)

1761  
#6  
01-22-02  
BW

**RECEIVED**  
JAN 22 2002  
TC 1700

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Cornelissen et al.  
Serial No.: 09/884,392  
Filed: June 19, 2001  
For: SPRAYABLE BROWNING COMPOSITION

Edgewater, New Jersey 07020  
November 15, 2001

**SUBMISSION OF PRIORITY DOCUMENT**


Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

Pursuant to rule 55(b) of the Rules of Practice in Patent Cases, Applicant(s) is/are submitting herewith a certified copy of the European Application No. 00305234.7 filed June 20, 2000, upon which the claim for priority under 35 U.S.C. § 119 was made in the United States.

It is respectfully requested that the priority document be made part of the file history.

Respectfully submitted,

  
Gerard J. McGowan, Jr.  
Reg. No. 29,412  
Attorney for Applicant(s)

GJM/mt  
(201) 840-2297

**BEST AVAILABLE COPY**

**THIS PAGE BLANK (USPTO)**



**Eur päisches  
Patentamt**

**European  
Patent Office**

**Office eur péen  
des brevets**



**Bescheinigung**

**Certificate**

**Attestation**

Die angehefteten Unterla-  
gen stimmen mit der  
ursprünglich eingereichten  
Fassung der auf dem näch-  
sten Blatt bezeichneten  
europäischen Patentanmel-  
dung überein.

The attached documents  
are exact copies of the  
European patent application  
described on the following  
page, as originally filed.

Les documents fixés à  
cette attestation sont  
conformes à la version  
initialement déposée de  
la demande de brevet  
européen spécifiée à la  
page suivante.

**Patentanmeldung Nr. Patent application No. Demande de brevet n°**

00305234.7

**RECEIVED**  
JAN 22 2002  
TC 1700

Der Präsident des Europäischen Patentamts;  
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets  
p.o.

**I.L.C. HATTEN-HECKMAN**

DEN HAAG, DEN  
THE HAGUE, 21/05/01  
LA HAYE, LE



**THIS PAGE BLANK (USP10)**



Europäisches  
Patentamt

European  
Patent Office

Office européen  
des brevets

**Blatt 2 d r Besch inigung**  
**Sheet 2 of the certificate**  
**Page 2 de l'attestation**

Anmeldung Nr.:  
Application no.: 00305234.7  
Demande n°:

Anmeldetag:  
Date of filing: 20/06/00 ✓  
Date de dépôt:

Anmelder:  
Applicant(s):  
Demandeur(s):  
**UNILEVER PLC**  
**London EC4P 4BQ**  
**UNITED KINGDOM**

Bezeichnung der Erfindung:  
Title of the invention:  
Titre de l'invention:  
**Sprayable browning composition**

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat:  
State:  
Pays:

Tag:  
Date:  
Date:

Aktenzeichen:  
File no.  
Numéro de dépôt:

Internationale Patentklassifikation:  
International Patent classification:  
Classification internationale des brevets:

**A23D7/00, A23L1/22, A23L1/27, A23P1/08**

Am Anmeldetag benannte Vertragsstaaten:  
Contracting states designated at date of filing: AT/BE/CH/CY/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE/TR  
Etats contractants désignés lors du dépôt:

Bemerkungen:  
Remarks:  
Remarques:

**THIS PAGE BLANK (USPTO)**

## SPRAYABLE BROWNING COMPOSITION

### Field of the invention

5 The present invention relates to a browning composition which, when applied to a foodstuff, in particular french fries or a meat product, imparts a browning effect to the surface of the substrate to which it is applied. More in particular, the present invention relates to a low cost,  
10 reduced calorie browning composition which can be applied by spraying on a foodstuff, and which leads to browning of foodstuff within a short time.

### Background of the invention

15

Sprayable, edible products for dispensing on food surfaces are well known in the art. These products are for example used to impart a brown appearance and crispy texture to foods cooked in an oven or a microwave or foodstuff  
20 subjected to a combination of both hot air and microwave energy sources.

WO 91/14379 discloses aqueous solutions comprising precipitated hydroxyacetaldehyde which are useful for browning foodstuffs. Addition of amino acids to this  
25 aqueous solution to produce a Maillard type flavour is also disclosed.

The browning compositions of WO 91/14379 are generally applied in the form of an aqueous solution. This makes them  
30 less suitable for carrying flavours. Upon heating a foodstuff which has been covered with the browning composition, the water will evaporate, thereby taking away

some of the flavour in the water vapour phase, leading to flavour depletion. Furthermore water containing compositions do not contribute to a fatty surface on the foodstuff which is often desired. Again due to evaporation  
5 of the water a dry surface often results after cooking.

EP-A-919,136 discloses a sprayable emulsion for enhancing browning of foodstuffs, in particular meat or meat products, which emulsion comprises

- 10 - a fat or oil phase, in an amount of 85-97% by weight,
- a water phase, in an amount of 3-15% by weight,
- a browning agent, dissolved or dispersed (mainly) in the water phase.

According to EP-A-919,136 this composition can easily be  
15 sprayed onto foodstuffs such as harty snacks, meat, meat products etc. These products can as well be suitably used in shallow frying or baking. Food products treated with this composition are reported to be brown or gold brown after cooking.

20

However, the compositions according to EP-A-919,136, although imparting browning, are relatively high in fat content and hence have considerable caloric value. Moreover the high fat content makes these compositions relatively  
25 expensive.

Furthermore improvement of sprayability is desired.

It is an object of the current invention to provide a sprayable browning composition, which can be sprayed easily  
30 in the form of a finely divided spray without the need for a pressurized pumping mechanism, which composition is low



price, reduced calorie, and a good carrier for flavour systems.

Summary of the invention

- 5 It has now been found that good results w.r.t. the above can be achieved by a sprayable emulsion for enhancing browning of foodstuffs, comprising an oil phase, a water phase and a browning agent, wherein the emulsion is an oil in water emulsion and the emulsion comprises
- 10 - a oil phase, in an amount of 5 to 80% by weight,  
- a water phase, in an amount of 20 to 95% by weight,  
- a browning agent, dissolved or dispersed in the water phase  
- an emulsifier.

15

Detailed description of the invention

The terms "oil" and "fat" are used interchangeably in this specification and claims.

20

It was found that the above formulation was both easy to apply using a simple spraying apparatus or an aerosol and also provided excellent browning results when applied to foodstuffs such as french fries, harty snacks, meat and

25 meat products. These browning results were obtained even when the product was heated in a microwave, which usually does not lead to browning.

In particular when such products are prepared or heated in an apparatus providing both a hot air energy source and a

30 microwave energy source in combination, browning was achieved within a short time period after the product was cooked, with a reduction of at least 10% in time, compared

to the time required to achieve the same degree of browning in the same apparatus without the application of the current emulsion to the foodstuff.

5 Additionally, it was found that the emulsion as defined above could be sprayed (e.g. on the foodstuff) using low pressure standard equipment only. Hence, by using the emulsion according to the invention the use of complicated, expensive high pressure professional spraying  
10 equipment can be dispensed with. Also, since the formulations according to the invention are sprayable, this opens the possibility for easy application in a convenient, hygienic way, without the need for application by brushing, dipping etcetera, which is in particular advantageous from  
15 a hygienic point of view.

Furthermore the present emulsion comprises 5 to 80 wt% of an oil or fat and therefore can be prepared relatively cheap.

20

In the present invention, it is preferred that the water phase is present in the emulsion in an amount of 55 to 70% by weight.

25 The water phase is defined as the total of all ingredients which are either water dispersible or water soluble and which in a common process of preparation of the emulsion, are mixed with the water before the water phase is mixed with the fat phase. Components of the water phase therefore  
30 include water, salt, gums such as xanthan gum, preservatives or acid regulators such as lactic acid and

potassium sorbate, colourants such as beta-carotene, vitamins, flavour components and the browning agent.

The oil phase is defined as the total of all ingredients  
5 which are either oil dispersible or oil soluble and which  
in a common process of preparation, are mixed with the oil  
component before the water phase is mixed with the oil  
phase. Components of the oil phase therefore include  
(vegetable) oil, oil soluble emulsifier such as citric acid  
10 esters of mono or di-glycerides, oil soluble flavours.

In this invention the browning agents as such are known in  
the art, e.g. from US 5,397,582 and US 5,393,542. They  
generally contain a mixture of carbohydrates which may have  
15 been treated by heating, pyrolysis, burning, etcetera.  
The preferred browning agent comprises at least some  
hydroxyacetaldehyde and most preferred the browning agent  
is hydroxyacetaldehyde.

20 In general, all or most of the browning agent will be  
dissolved in the water present in the emulsion, however,  
given the fact that these browning compositions may contain  
some matter which is difficult to dissolve, some of the  
browning agent may be present dispersed in the water phase.  
25 Nevertheless, it is preferred if the browning agent is  
chosen such that it is essentially dissolved in the water  
phase. The amount of browning agent needed in the emulsion  
according to the invention depends on the nature of the  
browning agent, the foodstuff to which it is applied, and  
30 the desired result. In most cases, the amount of browning  
agent is from 0.1 to 5 % by weight, based on the total  
composition, preferably 1-3%.

The emulsion comprises an emulsifier to ensure the formation of a homogeneous oil in water emulsion wherein the oil phase is stably dispersed in the water phase.

Any emulsifier which is known to promote the formation of an oil in water emulsion can be applied for the purpose of the invention.

10

In a preferred embodiment of the invention, the emulsifier is selected from the group comprising polyglycerol fatty acid esters, monoacylglycerols, galactolipids, diacylglycerols and esters of any of these with acids such as fatty acids; and polyoxyethylene compositions such as sorbitan mono polyoxyethylene (Tween).

According to an even more preferred embodiment, the emulsifier is a fat soluble citric acid ester of mono-or diglycerides such as Citrem LR10<sup>™</sup> which can be obtained from Danisco.

It will be appreciated that the specific amount of emulsifier that is required to provide a stable oil in water emulsion which does not separate in an oil phase and an aqueous phase upon storage, depends on the type of emulsifier and the ratio of aqueous phase to fat phase. However it was found that in general it is preferred that the emulsifier is present in an amount of from 0.01 to 5 wt%, more preferred 0.05 to 0.5 wt% on total product.

As indicated above the emulsion according to the present invention is a particularly good carrier for flavour compositions. These flavour compositions are preferably essentially present in the dispersed oil phase. Upon heating the emulsion which has been applied on food stuff, will decompose due to evaporation of water and the flavour components will be released from the oil phase.

Preferred flavour compositions are fat soluble savoury flavour compositions such as those selected from the group comprising Curry spice mix, Ham flavour, Bacon flavour, TIKKA<sup>tm</sup>, CAJUN<sup>tm</sup>, INDIAN SPICE MIX<sup>tm</sup> ex Givaudan.

The browning agent preferably is a carbohydrate which has been subjected to heating, pyrolysing or a similar treatment. The thus resulting composition usually comprises ingredients which may react in a Maillard type reaction with amino acid residues of proteins. It is highly preferred that this Maillard reaction only takes place after the emulsion has been applied onto the foodstuff that is to be cooked at increased temperature. To prevent a premature reaction in the packed emulsion, the emulsion is preferably essentially free of proteinaceous material and essentially free of compounds with primary or secondary amino groups such as in lecithin. These compounds could undergo a Maillard type reaction with the browning agent and thereby decrease it's effective amount in the emulsion. This risk is especially present when the emulsion is distributed at temperatures above refrigeration temperature.

Proteinaceous material includes buttermilk powder, skim milk (powder), casein, whey protein, soy protein and the like.

- 5 The oil phase may comprise any suitable fat and is preferably composed of mainly triglycerides which are pourable at room temperature. Suitable fats include sunflower oil, soy bean oil, olive oil, palm oil and the like.
- 10 The amount of fat phase is preferably from 30 to 45 % by weight.

- Although fat/oil, water and the browning agent are the major constituents (in terms of function), other
- 15 components may be present as well. In this respect, it is preferred to include in the formulations according to the invention a thickener or a gelling agent. Examples of these are gums like xanthan gum, gum arabic, guar gum, starch, modified starch and starch-like matter. Such components may
- 20 contribute to wettability, color, flavour and crust formation.

- If a starch is added, a pregelatinised starch such as Maizena is preferred. Ungelatinised starches are usually less suitable because they may cause clogging of the nozzle
- 25 in a spraying means.

- For such purposes, the amount of gelling agent or thickener generally ranges from 0.05 to 6 wt% on total product weight. For this purpose the amount of gum added preferably
- 30 ranges from 0.1 to 0.4 wt% and the amount of (modified) starch to be used preferably ranges from 0.5-5%,

preferably from 1-3% by weight, based on the total composition.

Other components that may be present are food grade salt, 5 herbs, spices, colorants, etcetera.

Suitable salts include sodium chloride (cooking salt), calcium chloride.

The presence of a salt in an amount of from 0.1 to 10 wt% is preferred, especially in view of the positive combined 10 effect on taste and flavour when salt is present in the aqueous phase and a flavour component is present in the fat phase.

An acid component may be incorporated into the water phase 15 in order to lower the pH of the water phase in such an extent that microbiological spoilage is prevented or reduced. Lactic and citric acid are preferred in this respect.

20 As the emulsions according to the invention are sprayable from simple spraying equipment, the invention also extends to such equipment containing the emulsions according to the invention. Such containers (bottles, cans, packs, etcetera) generally comprise dispersing means, pressurizing means and 25 the emulsion according to the invention. As the compositions according to the invention are preferably sprayed on the foodstuff, the dispersing means will generally comprise a nozzle. In order to push the emulsion out of the container (through the nozzle) some sort of 30 pressurizing means may be needed. As the emulsion is well sprayable using simple equipment, said pressurizing means may be provided by a hand-operated pump or pressurized gas.

In the latter case, the emulsion may be contained in a pressurized can.

The invention further extends to the use (by applying it to 5 the foodstuff) of the compositions according to the invention for imparting a brown or golden brown color to foodstuffs, by spraying said emulsion to the foodstuffs prior to a heating step.

10 The invention also extends to the use (by applying it to the foodstuff) of the compositions according to the invention for imparting a flavour to foodstuffs, by spraying said emulsion to the foodstuffs prior to a heating step.

15

The invention is in particular suitable in use of the emulsion for imparting a brown or golden-brown color to foodstuffs whereby the heating of said foodstuff is carried out in an apparatus providing both a hot air energy source 20 and a microwave energy source.

The emulsion can be prepared by any suitable method to prepare emulsions of an aqueous phase and a fat phase. In a preferred process, the water phase including all 25 ingredients is prepared at a temperature above 40 °C and subsequently mixed with the fat phase at a temperature above 20 °C. In a further step a fine emulsion is prepared by submitting the combined water and fat phase to a treatment in a colloid mill or apparatus with a similar 30 functionality.

The product is optionally subjected to a pasteurisation or sterilisation treatment either after the emulsion is



prepared or separately for the aqueous phase before the emulsion is prepared.

The invention is further exemplified by the following 5 examples, which are to be understood as to be non-limiting.

### Examples

A water phase and an oil phase were prepared with the 10 following compositions (percentages by weight, based on the total composition)

#### Water phase

Water	50.91
Cooking salt (NaCl)	6
Smokeze MB12 (dry)	2.5
Xanthan gum	0.34
lactic acid	0.1
Potassium sorbate	0.1
Beta-carotene solution, 1%	0.05

#### Final pH

4.25

#### 15 Oil phase

Sunflower oil	38.77
Citrem LR10 ex Danisco, Denmark	0.23
Oil soluble flavour	1

The water phase was prepared by heating water to 100 °C, adding the water phase ingredients as indicated above, stirring in an Ultraturrax at about 3000rpm for some

minutes, adding lactic acid (in the form of a 10% solution in water).

The fat phase was prepared at room temperature (25 °C).

5

The fat phase was added to the water phase under slow stirring within a time span of about 20 minutes. During adding the mixture was not heated anymore. The mixed phases were subjected to a colloid mill treatment (PrestoMill™, 10 split width setting 2, stirring viscosity setting 7) and were subsequently filled into spraying bottles.

The emulsion was easy to spray using a hand-operated pump (according to the type used domestically for spraying 15 plants), and when applied did impart a very good browning and flavour effect to french fries upon cooking. After heating in a Turbo Chef oven which provides in combination a hot air energy source and a microwave energy source, the french fries spread a pleasant flavour of deep 20 fried french fries.

### Claims

1. Sprayable emulsion for enhancing browning of foodstuffs, comprising an oil phase, a water phase and a browning agent, characterised in that the emulsion is an oil in water emulsion and the emulsion comprises

- an oil phase, in an amount of 5 to 80% by weight,
- a water phase, in an amount of 20 to 95% by weight,
- a browning agent, dissolved or dispersed in the water phase
- an emulsifier.

2. Emulsion according to claim 1, wherein the water phase is present in an amount of 55 to 70% by weight.

3. Emulsion according to claim 1 wherein the browning agent comprises hydroxyacetaldehyde.

4. Emulsion according to claim 1 wherein the emulsifier is a fat soluble citric acid ester of mono-or diglycerides such as Citrem LR10<sup>LM</sup>.

4. Emulsion according to claim 1, wherein the browning agent is dissolved in the water phase.

5. Emulsion according to claim 1, wherein the browning agent is present in an amount of from 0.1-5%, preferably from 1-3% by weight, based on the total composition.

6. Emulsion according to claim 1, wherein the composition further comprises a flavour composition which is essentially present in the oil phase.

7. Emulsion according to claim 6, wherein the flavour composition is selected from the group of fat soluble savoury flavours.

8. Emulsion according to claim 1 which is essentially free of proteinaceous material and essentially free of compounds with primary or secondary amino groups such as lecithin.

9. Container for holding a liquid, said container comprising dispersing means, pressurizing means and an emulsion according to any of claims 1-8.

10. Use of an emulsion according to claim 6 or 7 for imparting a flavour to foodstuffs, by spraying said emulsion onto the foodstuffs prior to a heating step.

11. Use of an emulsion according to any of claims 1-8 for imparting a brown or golden brown color to foodstuffs, by spraying said emulsion onto the foodstuffs prior to a heating step.

12. Use according to claim 11, wherein the heating step is carried out in an apparatus providing both a hot air energy source and a microwave energy source.

**ABSTRACT**

The present invention relates to a sprayable browning composition which, when applied to a foodstuff, imparts a browning and optionally also a flavouring effect to the surface of the substrate to which it is applied. This is achieved by an oil in water emulsion comprising a browning agent and emulsifier.

**THIS PAGE BLANK (USPTO)**